


Connected branch 87° 30' MF for plumbing and drainage system **BI-BI KOLL**



Item	D1 (M) mm	D2 (F) mm	D3 (F) mm	L1 (M) mm	L2 (F) mm	L3 (F) mm	S1 (M) mm	S2 (F) mm	S3 (F) mm	L mm	D mm	H mm	Weight g	NF norm
TSG87032	32,0	32,4	32,4	24	24	23	2,9	2,4	2,4	68	39	89	49	E Me
TSG87040	40,0	40,4	40,4	27	27	27	3	2,4	2,5	81	47	110	74	Me
TSG87050	50,0	50,4	50,4	31	31	32	3	2,4	2,4	101	57	131	112	Me
TSG87100	100,0	100,5	100,5	60	60	57	3	2,7	2,7	191	107	248	444	Me


Material: PVC-U

Colour: Dark Grey RAL 7037

Features: The products of the plumbing and drainage fittings line are made in compliance with the requirements prescribed by the UNI EN 1329-1:2021 standard relating to low and high temperature drainage systems within the structure of buildings. The material complies with the AFNOR NF513 (Sécurité Feu) regulation certified by LNE and the NF055 (Evacuation) regulation certified by the CSTB.



Connected branch 87° 30' MF for plumbing and drainage system **BI-BI KOLL**



Item	D1 (M) mm	D2 (F) mm	D3 (F) mm	L1 (M) mm	L2 (F) mm	L3 (F) mm	S1 (M) mm	S2 (F) mm	S3 (F) mm	L mm	D mm	H mm	Weight g	NF norm
TSG87140	140,0	140,8	140,8	66	66	62	3,1	2,8	2,8	238	146	308	706	Me
TSG87160	160,0	160,8	160,8	64	64	61	3,2	3,0	2,8	273	167	335	916	Me
TSG87200	200,0	200,9	200,9	93	93	76	5,0	4,6	4,6	327	210	425	2190	Me


Material: PVC-U

Colour: Dark Grey RAL 7037

Features: The products of the plumbing and drainage fittings line are made in compliance with the requirements prescribed by the UNI EN 1329-1:2021 standard relating to low and high temperature drainage systems within the structure of buildings. The material complies with the AFNOR NF513 (Sécurité Feu) regulation certified by LNE.



Branch 87° 30' MF for plumbing and drainage system **BI-BI KOLL**



Item	D1 (M) mm	D2 (F) mm	D3 (F) mm	L1 (M) mm	L2 (F) mm	L3 (F) mm	S1 (M) mm	S2 (F) mm	S3 (F) mm	L mm	D mm	H mm	Weight g	NF norm
DSG87040	40,0	40,4	40,4	28	28	27	2,1	2,3	2,1	79	47	106	66	E Me
DSG87050	50,0	50,4	50,4	33	32	32	2,3	2,4	2,4	101	57	128	104	E Me
DSG87063	63,0	63,4	63,4	55	38	38	3,0	2,2	2,2	121	68	158	148	Me
DSG87075	75,0	75,5	75,5	63	45	46	2,8	3,0	3,0	143	83	188	250	E Me
DSG87080	80,0	80,5	80,5	58	47	47	3,1	3,3	3,3	144	87	197	270	Me


Material: PVC-U

Colour: Dark Grey RAL 7037

Features: The products of the plumbing and drainage fittings line are made in compliance with the requirements prescribed by the UNI EN 1329-1:2021 standard relating to low and high temperature drainage systems within the structure of buildings. The material complies with the AFNOR NF513 (Sécurité Feu) regulation certified by LNE and the NF055 (Evacuation) regulation certified by the CSTB.



Branch 87° 30' MF for plumbing and drainage system **BI-BI KOLL**



Item	D1 (M) mm	D2 (F) mm	D3 (F) mm	L1 (M) mm	L2 (F) mm	L3 (F) mm	S1 (M) mm	S2 (F) mm	S3 (F) mm	L mm	D mm	H mm	Weight g	NF norm
DSG87090	90,0	90,5	90,5	74	51	51	3,1	3,1	3,2	168	98	221	350	Me
DSG87100	100,0	100,5	100,5	58	52	53	3,1	3,0	3,1	174	107	226	384	Me
DSG87110	110,0	110,6	110,6	90	61	61	3,2	3,2	3,2	205	118	267	542	Me
DSG87125	125,0	125,7	125,7	66	55	54	3,1	3,0	3,1	193	132	257	518	Me
DSG87250	250,0	250,9	250,9	139	127	127	5,0	4,8	4,6	409	263	533	3592	Me

Material: PVC-U

Colour: Dark Grey RAL 7037

Features: The products of the plumbing and drainage fittings line are made in compliance with the requirements prescribed by the UNI EN 1329-1:2021 standard relating to low and high temperature drainage systems within the structure of buildings. The material complies with the AFNOR NF513 (Sécurité Feu) regulation certified by LNE.

