


Connected branch 87° 30' FF for plumbing and drainage system **BI-BI KOLL**



Item	D2 mm	D3 mm	D4 mm	L2 mm	L3 mm	L4 mm	S2 mm	S3 mm	S4 mm	L mm	D mm	H mm	Weight g	NF norm
TSG87032F	32,4	32,4	32,4	23	23	23	2,4	2,4	2,4	71	39	89	51	E Me
TSG87040F	40,4	40,4	40,4	27	27	27	2,5	2,5	2,5	85	47	110	74	Me
TSG87050F	50,4	50,4	50,4	32	32	32	2,4	2,4	2,4	104	57	131	108	Me
TSG87100F	100,5	100,5	100,5	57	57	57	2,7	2,7	2,7	195	107	248	446	Me


Material: PVC-U

Colour: Dark Grey RAL 7037

Features: The products of the plumbing and drainage fittings line are made in compliance with the requirements prescribed by the UNI EN 1329-1:2021 standard relating to low and high temperature drainage systems within the structure of buildings. The material complies with the AFNOR NF513 (Sécurité Feu) regulation certified by LNE and the NF055 (Evacuation) regulation certified by the CSTB.



Connected branch 87° 30' FF for plumbing and drainage system **BI-BI KOLL**



Item	D2 mm	D3 mm	D4 mm	L2 mm	L3 mm	L4 mm	S2 mm	S3 mm	S4 mm	L mm	D mm	H mm	Weight g	NF norm
TSG87140F	140,8	140,8	140,8	61	61	61	2,8	2,9	2,8	245	147	308	714	Me
TSG87160F	160,8	160,8	160,8	61	61	61	2,9	2,8	2,7	282	167	334	904	Me
TSG87200F	200,9	200,9	200,9	76	76	76	4,6	4,6	4,7	312	210	424	2200	Me


Material: PVC-U

Colour: Dark Grey RAL 7037

Features: The products of the plumbing and drainage fittings line are made in compliance with the requirements prescribed by the UNI EN 1329-1:2021 standard relating to low and high temperature drainage systems within the structure of buildings. The material complies with the AFNOR NF513 (Sécurité Feu) regulation certified by LNE.



Branch 87° 30' FF for plumbing and drainage system **BI-BI KOLL**



Item	D2 mm	D3 mm	D4 mm	L2 mm	L3 mm	L4 mm	S2 mm	S3 mm	S4 mm	L mm	D mm	H mm	Weight g	NF norm
DSG87040F	40,4	40,4	40,4	28	27	27	2,2	2,1	2,1	82	47	105	68	E Me
DSG87050F	50,4	50,4	50,4	32	33	32	2,4	2,4	2,3	101	57	128	106	E Me
DSG87063F	63,4	63,4	63,4	38	38	39	2,2	2,2	2,1	124	68	167	146	Me
DSG87075F	75,5	75,5	75,5	46	45	45	3,3	3,3	3,3	147	83	188	264	E Me
DSG87080F	80,5	80,5	80,5	47	47	47	3,2	3,3	3,1	146	87	191	274	Me


Material: PVC-U

Colour: Dark Grey RAL 7037

Features: The products of the plumbing and drainage fittings line are made in compliance with the requirements prescribed by the UNI EN 1329-1:2021 standard relating to low and high temperature drainage systems within the structure of buildings. The material complies with the AFNOR NF513 (Sécurité Feu) regulation certified by LNE and the NF055 (Evacuation) regulation certified by the CSTB.



Branch 87° 30' FF for plumbing and drainage system **BI-BI KOLL**



Item	D2 mm	D3 mm	D4 mm	L2 mm	L3 mm	L4 mm	S2 mm	S3 mm	S4 mm	L mm	D mm	H mm	Weight g	NF norm
DSG87090F	90,5	90,5	90,5	52	51	52	3,2	3,2	3,2	172	98	220	362	Me
DSG87100F	100,5	100,5	100,5	57	57	57	3,2	3,2	3,2	191	107	243	464	Me
DSG87110F	110,6	110,6	110,6	61	61	61	3,3	3,3	3,3	210	119	266	572	Me
DSG87125F	125,7	125,7	125,7	60	60	60	2,6	2,6	2,6	202	132	257	488	Me

Material: PVC-U

Colour: Dark Grey RAL 7037

Features: The products of the plumbing and drainage fittings line are made in compliance with the requirements prescribed by the UNI EN 1329-1:2021 standard relating to low and high temperature drainage systems within the structure of buildings. The material complies with the AFNOR NF513 (Sécurité Feu) regulation certified by LNE.

