



Branch 45° for gutter down pipes ø 63 **CUPRAELITE**



CUPRAELITE





Item	Colour	D1 mm	D2 mm	D3 mm	L1 mm	L2 mm	L3 mm	S1 mm	S2 mm	S3 mm	L mm	D mm	H mm	Weight g
DLR45063	copper effect	63	63,5	63,5	46	38	38	3	2,2	2,2	140	69	177	152

Material: Technopolymers

Features: The branch is composed by a mix of various polymers that gives the external surface a metallic shine, resistance to UV rays and colour retention over time ($\Delta E < 5$ after 5000 hour xenotest exposure).



Branch 45° for gutter down pipes ø 80 **CUPRAELITE**




Item	Colour	D1 mm	D2 mm	D3 mm	L1 mm	L2 mm	L3 mm	S1 mm	S2 mm	S3 mm	L mm	D mm	H mm	Weight g
DLR45080	copper effect	80	80,6	80,6	54	46	47	3,2	3,2	3,2	178	87	220	280

Material: Technopolymers

Features: The branch is composed by a mix of various polymers that gives the external surface a metallic shine, resistance to UV rays and colour retention over time ($\Delta E < 5$ after 5000 hour xenotest exposure).



Branch 45° for gutter down pipes ø 100 **STEEL**





Item	Colour	D1 mm	D2 mm	D3 mm	L1 mm	L2 mm	L3 mm	S1 mm	S2 mm	S3 mm	L mm	D mm	H mm	Weight g
DLAC45100	steel effect	100	100,6	100,6	68	57	57	2,5	2,5	2,5	214	105	268	362

Material: Technopolymers

Features: The branch is composed by a mix of various polymers that gives the external surface a metallic shine, resistance to UV rays and colour retention over time ($\Delta e < 5$ after 5000 hour xenotest exposure).



Branch 45° for gutter down pipes ø 100 **CUPRAELITE**





Item	Colour	D1 mm	D2 mm	D3 mm	L1 mm	L2 mm	L3 mm	S1 mm	S2 mm	S3 mm	L mm	D mm	H mm	Weight g
DLR45100	copper effect	100	100,6	100,6	68	57	57	2,5	2,5	2,5	214	105	268	362

Material: Technopolymers

Features: The branch is composed by a mix of various polymers that gives the external surface a metallic shine, resistance to UV rays and colour retention over time ($\Delta E < 5$ after 5000 hour xenotest exposure).



Branch 45° for gutter down pipes ø 125 **CUPRAELITE**



Item	Colour	D1 mm	D2 mm	D3 mm	L1 mm	L2 mm	L3 mm	S1 mm	S2 mm	S3 mm	L mm	D mm	H mm	Weight g
DLR45125	copper effect	125	125,7	125,7	62	53	54	3,1	3,1	3,1	262	132	302	582

Material: Technopolymers

Features: The branch is composed by a mix of various polymers that gives the external surface a metallic shine, resistance to UV rays and colour retention over time ($\Delta e < 5$ after 5000 hour xenotest exposure).

